

Bracket Sequence

Input file: **standard input**
Output file: **standard output**
Time limit: 4 seconds
Memory limit: 1024 megabytes

A sequence is good when it can be represented by several $()$ connected together.

Formally, a sequence s of length $2n$ is good when $s_1 = s_3 = \dots = s_{2n-1} = ($ and $s_2 = s_4 = \dots = s_{2n} =)$. In that case, we call n its **depth**.

Given a sequence s of length n which consists of $($ and $)$. Let $f(l, r, k)$ be the number of good subsequences with depth k in the sequence t formed by s_l, s_{l+1}, \dots, s_r .

You are given q queries, each query contains four numbers op, l, r, k .

- If $op = 1$, you need to calculate $f(l, r, k)$.
- If $op = 2$, you need to calculate $\sum_{l \leq l' \leq r' \leq r} f(l', r', k)$.

Since the answer could be huge, you need to output the answer modulo 998244353.

Input

The first line contains two numbers n, q ($1 \leq n \leq 10^5, 1 \leq q \leq 10^6$).

The second line contains the sequence s of length n .

The following q lines contain four numbers op, l, r, k ($op \in \{1, 2\}, 1 \leq l \leq r \leq n, 1 \leq k \leq 20$).

Output

Output q integers: the answer to each query, modulo 998244353.

Example

standard input	standard output
5 20	0
((()())	2
1 1 2 1	2
1 1 3 1	5
1 1 4 1	1
1 1 5 1	1
1 2 3 1	3
1 2 4 1	0
1 2 5 1	1
1 3 4 1	1
1 3 5 1	3
1 4 5 1	6
2 1 3 1	16
2 1 4 1	1
2 1 5 1	2
2 2 3 1	7
2 2 4 1	2
2 2 5 1	1
2 3 5 1	2
2 4 5 1	3
1 1 5 2	
2 1 5 2	