

Spectacular Ending

Input file: **standard input**
Output file: **standard output**
Time limit: 6 seconds
Memory limit: 512 megabytes

The game “Dungeons and Rainbows” uses dices of various shapes and various number of faces. The game process consists of moving between dungeons and performing various actions. The game has n states in total, that number already includes all possible combinations of positions, items, skills and so on. The game rules define for each state which particular dice should be used in order to determine the next state. As the dice being used can have more than n faces, rules of the game define how many faces of the dice should correspond to each particular outcome (transition to some other state).

For example, consider there are 3 states in a game and for one of them it is required to use a dice with 5 faces. One possible distribution can be the following: 2 faces correspond to transition to the state 1, 1 face corresponds to transition to state 2 and remaining 2 faces correspond to transition to state 3.

Players start the game in state 1 and the game lasts k rounds. In order to get a spectacular ending of the game players must make a transition to state s in the last round. Note, that it doesn't matter whether they have already visited this state in other rounds or not.

Experienced host knows probabilities of each face of every dice. In **each round** he chooses which faces will correspond to which outcomes. So, at the beginning of every round the host assigns the next state for face of the dice that will be used in this round (this is determined by current state only). If it happens that players transit to the same state more than once, the host can make a different assignment of outcomes to faces every time.

The host wants to maximize the probability that the game will have a spectacular ending. Calculate this probability if the host acts optimal.

Input

The first line contains the number of states n ($2 \leq n \leq 1000$), the number of rounds in the game k ($1 \leq k \leq 100$) and the index of the state needed for spectacular ending s ($1 \leq s \leq n$).

Next n lines contain transition rules for each of the states. The first n numbers of the i -th row determine the number of dice faces F_{ij} ($0 \leq F_{ij} \leq 1000$) which correspond to transitions to each of n states from the i -th state. The total number of dice faces satisfies $2 \leq \sum_j F_{ij} \leq 1000$. Then follows the denominator Q_i ($\sum_j F_{ij} \leq Q_i \leq 10^6$) of probabilities of all dice faces. And further along $\sum_j F_{ij}$ numerators P_{ij} ($1 \leq P_{ij} \leq Q_i$) of probabilities of all dice faces. The sum of probabilities of all faces equals to 1.

Output

Print maximum probability to get the spectacular ending if the host acts in an optimal way with absolute error less than 10^{-9} .

Examples

standard input	standard output
2 1 2 1 1 3 1 2 1 1 3 2 1	0.666666666667
3 3 3 1 1 0 3 2 1 0 1 1 3 2 1 1 0 1 3 2 1	0.592592592593
2 2 2 2 1 4 1 2 1 2 1 4 1 1 2	0.5